

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 16 | ("20010037404" "20010049743" "20020002567" "20020046235" "20020049790" "20020069224" "20020083097" "20020099735" "20020120652" "20020122054" "20020123993" "20020184269" "20020194220" "20030014447" "6393442" "6480860"). PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L2 | 1590 | websphere | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L3 | 541 | websphere and node and storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L4 | 16 | websphere and node and partition\$3 near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L5 | 24 | websphere and node and (separate partition\$3) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L6 | 24 | websphere and node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L7 | 18 | websphere and node and (separate partition\$3) near2 storage and configur\$5 and compatib\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L8 | 0 | websphere and compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L9 | 53 | compatib\$5 with distributed with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| L10 | 12 | compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L11 | 1701 | distributed near2 system near2 management | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L12 | 84 | distributed near2 system near2 management and configuration near setting | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L13 | 237 | distributed near2 system near2 management and configuration near (setting file) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L14 | 17 | distributed near2 system near2 management and configuration near (setting file) same (upgrad\$3 synchroniz\$3) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L15 | 49331 | (partition\$3 divid\$3) with (storage repository) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L16 | 1235 | (partition\$3 divid\$3) with (storage repository) with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L17 | 34 | (partition\$3 divid\$3) with (storage repository) with configuration same (upgrad\$3 synch\$8) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L18 | 32047 | (separat\$3 partitioned) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L19 | 12 | (separat\$3 partition\$3 divid\$3) near2 storage with version with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| L20 | 1 | (separat\$3 partition\$3 divid\$3) near2 storage with version with (upgrad\$3 synchroniz\$3) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L21 | 142 | (separat\$3 partition\$3 divid\$3) near2 storage with version | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L22 | 92 | update with software with partition | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L23 | 59 | updat\$3 near2 software with partition | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L24 | 1 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same (configuration version) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L25 | 1 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L26 | 28 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L27 | 0 | "method for generating xslt documents" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L28 | 0 | "method for generating xslt documents".ti. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L29 | 1 | "20050204347" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| L30 | 1 | upgrad\$3 with node with configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L31 | 1 | upgrad\$3 with node same configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L32 | 15 | upgrad\$3 with (system node) same configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L33 | 701 | configuration near2 repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L34 | 5 | partition\$3 with configuration near2 repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L35 | 174 | partition\$3 with configuration near2 (repository storage) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L36 | 87 | partition\$3 with configuration near (repository storage) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L37 | 12 | partition\$3 with configuration near (repository storage) with (setting file) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L38 | 111 | interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L39 | 0 | upgrad\$3 with interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L40 | 2 | (version upgrad\$3) with interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L41 | 0 | (upgrad\$3 with version) and interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L42 | 41 | (upgrad\$3 or updat\$3 with version) and interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L43 | 238 | (automatic automated) with upgrad\$3 with (version application) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L44 | 4 | (automatic automated) with upgrad\$3 with (version application) same node | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L45 | 59 | (automatic automated) with upgrad\$3 with (version application) same configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L46 | 228 | primary with master with node | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L47 | 63 | primary with master with node with slave | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L48 | 28 | primary with master with node with slave with secondary | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L49 | 1590 | websphere "with5.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|-----|------------------------------------|--|----|----|------------------|
| L50 | 6 | websphere with "5.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L51 | 5 | websphere with "5\$2" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L52 | 150 | websphere with "5"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L53 | 5 | upgrad\$3 with websphere | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L54 | 23 | websphere with version with "5"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L55 | 2 | websphere with "6.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L56 | 5 | websphere with version with "6"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L57 | 3 | websphere with version with "6.0" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L58 | 1 | websphere with version with "6.1" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L59 | 0 | websphere with version with "6.2" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| L60 | 1 | websphere with version with "6" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L61 | 3 | websphere with version with "6."\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L62 | 108 | websphere with version | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L63 | 20 | WAS with IBM | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| L64 | 20 | "WAS" with IBM | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/02/23 13:16 |
| S1 | 16 | ("20010037404" "20010049743" "20020002567" "20020046235" "20020049790" "20020069224" "20020083097" "20020099735" "20020120652" "20020122054" "20020123993" "20020184269" "20020194220" "20030014447" "6393442" "6480860"). PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:18 |
| S2 | 1382 | websphere | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:46 |
| S3 | 477 | websphere and node and storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 15:23 |
| S4 | 16 | websphere and node and partition\$3 near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:17 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S5 | 24 | websphere and node and (separate partition\$3) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:21 |
| S6 | 24 | websphere and node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 15:37 |
| S7 | 18 | websphere and node and (separate partition\$3) near2 storage and configur\$5 and compatib\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 15:56 |
| S8 | 0 | websphere and compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:33 |
| S9 | 47 | compatib\$5 with distributed with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:21 |
| S10 | 10 | compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:42 |
| S11 | 1537 | distributed near2 system near2 management | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:42 |
| S12 | 70 | distributed near2 system near2 management and configuration near setting | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:45 |
| S13 | 213 | distributed near2 system near2 management and configuration near (setting file) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 16:47 |
| S14 | 12 | distributed near2 system near2 management and configuration near (setting file) same (upgrad\$3 synchroniz\$3) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 17:36 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S15 | 46888 | (partition\$3 divid\$3) with (storage repository) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 17:38 |
| S16 | 1157 | (partition\$3 divid\$3) with (storage repository) with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 17:38 |
| S17 | 29 | (partition\$3 divid\$3) with (storage repository) with configuration same (upgrad\$3 synch\$8) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 17:39 |
| S18 | 30260 | (separat\$3 partitioned) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 18:43 |
| S19 | 123 | (separat\$3 partition\$3 divid\$3) near2 storage with version | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:09 |
| S20 | 8 | (separat\$3 partition\$3 divid\$3) near2 storage with version with configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 18:45 |
| S21 | 1 | (separat\$3 partition\$3 divid\$3) near2 storage with version with (upgrad\$3 synchroniz\$3) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 18:49 |
| S22 | 78 | update with software with partition | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:09 |
| S23 | 48 | updat\$3 near2 software with partition | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:10 |
| S24 | 26 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:19 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S25 | 1 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:19 |
| S26 | 1 | websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same (configuration version) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/07 19:18 |
| S27 | 0 | "method for generating xslt documents" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:18 |
| S28 | 0 | "method for generating xslt documents".ti. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:19 |
| S29 | 1 | "20050204347" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:33 |
| S30 | 1 | upgrad\$3 with node with configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:34 |
| S31 | 1 | upgrad\$3 with node same configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 09:34 |
| S32 | 10 | upgrad\$3 with (system node) same configuration with xml | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:01 |
| S33 | 626 | configuration near2 repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:02 |
| S34 | 5 | partition\$3 with configuration near2 repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:05 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S35 | 160 | partition\$3 with configuration near2 (repository storage) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:10 |
| S36 | 79 | partition\$3 with configuration near (repository storage) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:10 |
| S37 | 8 | partition\$3 with configuration near (repository storage) with (setting file) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:48 |
| S38 | 104 | interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:48 |
| S39 | 0 | upgrad\$3 with interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:49 |
| S40 | 2 | (version upgrad\$3) with interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:49 |
| S41 | 0 | (upgrad\$3 with version) and interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:51 |
| S42 | 41 | (upgrad\$3 or updat\$3 with version) and interdev | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 10:51 |
| S43 | 219 | (automatic automated) with upgrad\$3 with (version application) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 11:29 |
| S44 | 4 | (automatic automated) with upgrad\$3 with (version application) same node | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 11:34 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S45 | 54 | (automatic automated) with upgrad\$3 with (version application) same configuration | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 11:34 |
| S46 | 203 | primary with master with node | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:19 |
| S47 | 56 | primary with master with node with slave | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:19 |
| S48 | 26 | primary with master with node with slave with secondary | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:22 |
| S49 | 1382 | websphere "with5.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:46 |
| S50 | 6 | websphere with "5.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:00 |
| S51 | 5 | websphere with "5\$2" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:47 |
| S52 | 137 | websphere with "5"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:49 |
| S53 | 5 | upgrad\$3 with websphere | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 17:50 |
| S54 | 19 | websphere with version with "5"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:06 |

EAST Search History

| | | | | | | |
|-----|----|-------------------------------------|--|----|----|------------------|
| S55 | 4 | websphere with version with "6"\$2 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:01 |
| S56 | 2 | websphere with "6.x" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:01 |
| S57 | 3 | websphere with version with "6.0" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:06 |
| S58 | 1 | websphere with version with "6.1" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:07 |
| S59 | 0 | websphere with version with "6.2" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:07 |
| S60 | 1 | websphere with version with "6" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:07 |
| S61 | 3 | websphere with version with "6."\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:12 |
| S62 | 99 | websphere with version | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/08 19:12 |
| S63 | 20 | WAS with IBM | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/10 11:27 |
| S64 | 20 | "WAS" with IBM | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/09/10 11:27 |